



COPY OF PAPERS
ORIGINALLY FILED

PATENT 915.409

2824
#19
2/202

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Mikkonen et al

Serial No.: 09 / 993,051

Group No.: 2821

Filed: November 27, 2001

Examiner:

For: Antenna

Commissioner of Patents and Trademarks

Washington, D.C. 20231

TRANSMITTAL OF CERTIFIED COPY

Attached please find the certified copy of the foreign application from which priority is claimed for this case:

Country : Great Britain
Application Number : 0028851.4
Filing Date : November 27, 2000

Reg. No. 27,550

Tel. No. (203) 261-1234

SIGNATURE OF ATTORNEY

Alfred A. Fressola

Type or print name of attorney

WARE, FRESSOLA, VAN DER SLUYS & ADOLPHSON

P.O. Address

755 Main Street, PO Box 224

Monroe, CT 06468

NOTE: The claim to priority need be in no special form and may be made by the attorney or agent if the foreign application is referred to in the oath or declaration as required by § 1.63.

CERTIFICATE OF MAILING (37 CFR 1.8a).

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Date: February 20, 2002


Anita Schelmetic

(Type or print name of person mailing paper)

Anita Schelmetic

(Signature of person mailing paper)

THIS PAGE BLANK (USPTO)



COPY OF PAPERS
ORIGINALLY FILED



INVESTOR IN PEOPLE

TC 2800 MAIL ROOM

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

RECEIVED
MAR 22 2002
TECHNOLOGY CENTER 2800

Signed

Dated

27 NOV 2001

THIS PAGE BLANK (USPTO)

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1. Your reference

27 NOV 2000

200092/DJW/DG 27 NOV 2000

2. Patent application number
(The Patent Office will fill in this part)

0028851.4

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NOKIA MOBILE PHONES LIMITED
KEILALAHDENTIE 4
02150 ESPOO
FINLAND

Patents ADP number (if you know it)

05911995004

28NOV00 E586963-6 D02825
P01/7700 0.00-0028851.4

If the applicant is a corporate body, give the country/state of its incorporation

FINLAND

4. Title of the invention

IMPROVED ANTENNA

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

PAGE WHITE & FARRER
54 DOUGHTY STREET
LONDON
WC1N 2LS
UNITED KINGDOM

Patents ADP number (if you know it)

1255003

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country	Priority application number	Date of filing
(if you know it)	(day / month / year)	(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application	Date of filing
	(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

YES

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body
- See note (d))

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

6

Claim(s)

1

Abstract

1

Drawing(s)

3 + 3

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents
(please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

27 November 2000

12. Name and daytime telephone number of person to contact in the United Kingdom

DAVID WILLIAMS, 0171-831 7929

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

DUPLICATE

IMPROVED ANTENNA

Field of the Invention

The present invention relates to antennas, particularly reflective antennas, and particularly but not exclusively to such antennas for use in mobile devices such as mobile
5 telephones.

Background to the Invention

An antenna is an essential part of the radio frequency (RF) system of a mobile station (MS) such as a mobile telephone. In certain applications it is desirable to provide antennas internally within the structure of the mobile device rather than externally
10 mounted to it. Internal antennas require space inside a mobile station's physical structure. However providing the antenna within the mobile station rather than external to the station, creates a conflict with the general desirability to minimise the physical size of the mobile device itself. The general desirability to minimise the size of a mobile station may be limited by providing the antenna within the station.

15 In addition the size of an internal antenna, and hence the amount of space required within the mobile station, is dependent upon frequency band(s) used by the mobile device. If the amount of space available within the mobile station is limited, then it may not be possible to implement the device at certain frequencies without increasing the size of the device.

Current designs for internal antennas tend to require a relatively large amount of space,
20 and therefore limit the physical design of mobile stations.

It is therefore an aim of the present invention to provide an antenna suitable for use in a mobile station which can be more efficiently accommodated within a mobile station.

Summary of the Invention

According to the present invention there is provided an antenna having a non-planar
25 radiator surface. The radiator surface preferably extends in three dimensions. Thus advantageously the surface area of the radiator surface is increased without increasing the physical size of the antenna. Alternatively, the surface area of the radiator surface is maintained whilst decreasing the physical size of the antenna.

THIS PAGE BLANK (USPTO)

The antenna is preferably provided with a ground plane provided opposite the radiator surface. The ground plane may have a planar surface.

A dielectric is preferably provided on the radiator surface. The dielectric is preferably provided to increase the average electrical height of the antenna. Thus the bandwidth of the antenna is not degraded.

In accordance with a further aspect of the present invention there is provided a mobile station including an internal antenna having a non-planar radiator surface.

Brief Description of the Drawings

The invention will be best understood by way of example with reference to the accompanying drawings in which:

Figure 1 illustrates a conventional PIFA antenna with a planar radiator surface;

Figure 2 illustrates an improved antenna in accordance with an embodiment of the invention;

Figure 3 illustrates a further preferred modification the antenna of Figure 2;

Figure 4 illustrates the construction of exemplary antenna arrangements used for measurement purposes; and

Figures 5 illustrates measurement results achieved using the arrangements of Figure 4.

Description of Preferred Embodiments

Figure 1 illustrates an example of an existing planar inverted F-antenna (PIFA) used in current mobile station applications. As shown in Figure 1, the radiator surface of the antenna comprises a planar surface 2. A ground plane 4, which may be a printed wiring board (PWB), is provided opposite the planar radiator surface 2, connected to a ground point 6. The radiator surface 2 is fed via a feeding point 8. As is also shown in Figure 1, the radiator surface 2 is provided with two slots or cuts 10 in its surface which are provided, as is known, to adjust the performance of the antenna.

The planar radiating surface 2 is also shown having a perpendicular surface, 12, at its left hand side-- . The surface 12 connects to the radiator surface to the ground plane.

THIS PAGE BLANK (USPTO)

In the known arrangement of Figure 1, the size of the whole antenna arrangement is determined by the size of the planar radiator surface 2. In turn the size of the planar surface 2 is determined by the radio frequency at which the antenna is required to operate. For example, the size of the radiator surface for a device operating at the
5 400MHz is twice the size of the radiator surface for a device operating at 900 MHz.

In an integrated antenna, as shown in Figure 1, the radiation efficiency is dependent on antenna height and on the area of the radiator: as in an external antenna the length is the main parameter.

Referring now to Figure 2 there is illustrated a modified antenna in accordance with an
10 exemplary embodiment of the invention. A radiator surface 20 is again provided opposite a complimentary ground plane 14 connected to a ground point 16. The radiator surface 20 is fed via a feeding point 18. The radiator surface is connected to the ground plane via surface 22.

In accordance with the present invention, the radiator surface 20 is non-planar, having a
15 three dimensional shape. Although in Figure 2 it is shown that the radiator surface is shown to be covered with pyramid shapes. However the invention is not so limited, and other different shapes may form the radiator surface.

By providing a non-planar surface, the actual surface area of the radiator surface is increased without increasing the height, length and width of the radiator surface. The
20 radiator surface size is increased by introducing a fourth parameter: depth. The size of the radiator surface may then be varied by retaining a constant length and width and varying the depth or height.

The antenna shape can be created by bending of the radiator surface or by sputtering to a formed panel. Other techniques for forming the three dimensional radiator surface may be
25 used.

The present invention allows the antenna to be made smaller by increasing the electrical length of the antenna by re-shaping the antenna radiator. In making the antenna smaller, less PWB area (ground plane) is required than a conventional PIFA.

THIS PAGE BLANK (USPTO)

In a PIFA lowering the antenna height (i.e. the distance between the planar radiator surface and the ground plane) typically narrows the bandwidth of the antenna and reducing the antenna area makes the gain smaller. In accordance with the invention the gain is increased for a given antenna size, and maintained whilst reducing the size of the antenna.

In the antenna according to the present invention the average electrical height of the antenna may be reduced due to the variation in the depth of the radiator surface. To avoid a detrimental effect on the antenna bandwidth, the height (i.e. the antenna's electrical height) is preferably maintained using a dielectric.

10 The non-planar radiator surface could be smoothed out with a dielectric such that the overall surface of the antenna system is planar. Referring to Figure 3, a side-view of the antenna structure of Figure 2 is illustrated, with the dielectric formed on the radiator surface. The dielectric 24 is shown formed in the 'indentations' provided by the non-planar radiator surface.

15 The antenna surface of the inventive antenna is thus smoothed out with a dielectric substrate. The substrate may also be deposited in smaller amounts, such that the overall surface of the antenna is not planar. The extent of deposition of the substrate depends on system requirements, and the illustration of Figure 3 is only an example.

The purpose of the dielectric substrate 24 on the radiator surface 20 is to maintain the effective electrical height of the antenna. This is preferable as the modification of the antenna in accordance with the invention to provide a non-planar radiator surface also effects the average height of the radiator surface above the ground plane. The average height of the radiator surface is in itself an important factor in the antenna performance, as it determines the effective electrical length of the antenna and thus the gain of the antenna. By introducing the dielectric 24, the average height of the antenna is increased and thus the electrical length, and hence the gain, of the antenna not compromised.

The dielectric material may be plastic, ceramic, or other suitable material.

THIS PAGE BLANK (USPTO)

In addition to adjusting the performance of the antenna by varying the depth of the non-planar structure, slots or cuts may also be introduced into the radiator surface 20 to vary the antenna performance as in the prior art arrangement of Figure 1.

Thus the invention may be advantageously used to:

- 5 a) reduce the size of the antenna whilst maintaining the radiator surface area and hence the RF performance; and
- b) maintain the size of the antenna whilst increasing the radiator surface area and hence increasing the RF performance by providing a large improvement in the antennas bandwidth.

10 The advantage provided by (b) is particularly useful in relation to multi-band/multi-mode phones. An increase in bandwidth gives a good advantage with better performance.

Measurements, which demonstrate the advantages achieved by the present invention will now be described. Referring to Figure 4 the antenna configurations used to perform the simulations are illustrated. Figure 4(a) illustrates a known PIFA antenna having a planar
15 radiator surface 30 and a ground plane 32. Figure 4(b) illustrates an antenna in accordance with an embodiment of the present invention, which may be termed a "shaped PIFA", having a non-planar radiator surface 34 and a ground plane 36. Note for this simulation the inventive antenna is not provided with a dielectric. Each antenna has a respective antenna feed 38 and 40.

~~20 The impedance matching as measured for each antenna arrangement was measured, and the results are shown in Figure 5.~~

The impedance matching, which represents the bandwidth performance, is illustrated for the prior art arrangement of Figure 4(a) in Figure 5(a) and for the inventive arrangement of Figure 4(b) in Figure 5(b). As can be seen there is a bandwidth improvement of 7MHz
25 for the antenna of the present invention.

It can thus be seen that the present invention uses the area and volume required by an antenna in a very efficient manner.

Internal antennas for GSM frequencies using prior art antennas require a relatively big size, for example in the region of 10% of the whole volume of a mobile station handset in

THIS PAGE BLANK (USPTO)

some cases. Whilst the performance of the prior art antennas has been improved using cuts in the radiators planar surface, the invention shapes the radiator surface multi-dimensionally to more effectively improve antenna performance.

5 The present invention may be used in any application where a planar antenna, such as a PIFA, is used. It can be particularly advantageously applied in mobile telephone handsets. The application of the invention in mobile telephony is not limited to any particular standard such as GSM.

THIS PAGE BLANK (USPTO)

Claims

1. An antenna having a non-planar radiator surface.
 2. An antenna according to claim 1 in which the radiator surface extends in three dimensions.
 - 5 3. An antenna according to claim 1 or claim 2 further having a ground plane provided opposite the radiator surface.
 4. An antenna according to claim 3 wherein the ground plane is a planar surface.
 5. An antenna according to any preceding claim in which there is provided a dielectric on the radiator surface.
 - 10 6. An antenna according to claim 5 wherein the dielectric increases the average height of the antenna.
 7. A mobile station including an internal antenna having a non-planar radiator surface.
-

THIS PAGE BLANK (USPTO)

Abstract

There is disclosed an antenna, suitable for use in a mobile device such as a mobile station, having a non-planar radiator surface extending in three dimensions.

[Figure 2]

THIS PAGE BLANK (USPTO)

FIG. 1




FIG. 2





FIG. 3



THIS PAGE BLANK (USPTO)





FIG 4


THIS PAGE BLANK (USPTO)

Flat PIFA



(a)

Shaped PIFA



(b)

Fig 5

THIS PAGE BLANK (USPTO)